

Order Nbr: 352824 SO
Date Entered: 10/13/2006
Entered By: WIGGINS, LINDA
Market: Quick Serve Restaurant Market

SALES ORDER ACKNOWLEDGEMENT

LSI LIGHTING SOLUTIONS PLUS
LSI Courtsider Lighting
10000 ALLIANCE ROAD
CINCINNATI OH 45242

Page: 2
Date: 10/16/2006
Time: 8:35:13
Phone: [REDACTED]

85135
Sold To: CREDIT CARD ACCOUNT
10000 ALLIANCE RD
CINCINNATI OH 45242

Bill To: CREDIT CARD ACCOUNT
10000 ALLIANCE RD
CINCINNATI OH 45242

Ship To: TROPICAL SHIPPING
1489 MARTIN LUTHER KING JR
MF: MILES ALEXANDER
MF: ST THOMAS USVI
RIVIERA BEACH FL 33404

Terms: Credit Card
Customer P.O.: MILES ALEXANDER
Job Reference: MILES ALEX. ST THOMASUSVI
F.O.B. Prepd to Port Allow/COLBe
Carrier:
Del:
Inst :

Description	Item Number	Seq #	Scheduled Ship Date	Quantity Ordered	Unit UM	Unit Price	Extended Price
CXLS FT 1000 MHR F MT GRN	297010GRN	.00-1.000	10/25/2006	4	EA		Lot Group 01
F TCNM D70 36 G.	123096GRN	.00-2.000	10/25/2006	2	EA		Lot Group 01
5RPN S11G 20 N GRN DGP	121666GRN	.00-3.000	10/25/2006	2	EA		Lot Group 01
KIT BCVR 5SRBC GRN	158451GRN	.00-6.000	10/25/2006	2	EA		Lot Group 01
ABKIT 5RP S11G STL GAL 3/4X30 11BC	135461	.00-7.000	10/25/2006	2	EA		Lot Group 01
Total Lot Group 01							2,830.00

78584 100.000 CIN HOUSE ACCOUNT

*LSI
Light poles for
Pool area*

*put on JE
amex card*

Subtotal	2,830.00
Tax	
U.S. Dollar Total	2,830.00

Order changes after the manufacturing process has begun may result in additional cost and/or delay. Shipping terms are F.O.B OUR DOCK OR SHIPPING POINT. Material becomes your property when it leaves the shipping point and you are responsible for filing freight claims due to damage or shortage. Orders are subject to the latest LSI Lighting and Graphic Solutions Plus Terms & Conditions as stated on www.lsi-industries.com. Freight allowed orders under the LSI Lighting Solutions Plus Terms and Conditions will receive the applicable Freight Fuel Surcharge.

Order Nbr: 352824 SO
Date Entered: 10/13/2006
Entered By: WIGGINS, LINDA
Market: Quick Serve Restaurant Market

SALES ORDER ACKNOWLEDGEMENT

LSI LIGHTING SOLUTIONS PLUS
LSI Courtsider Lighting
10000 ALLIANCE ROAD
CINCINNATI OH 45242

Page: 1
Date: 10/16/2006
Time: 8:35:13
Phone: [REDACTED]

85135
Sold To: CREDIT CARD ACCOUNT
10000 ALLIANCE RD
CINCINNATI OH 45242

Bill To: CREDIT CARD ACCOUNT
10000 ALLIANCE RD
CINCINNATI OH 45242

Ship To: TROPICAL SHIPPING
1489 MARTIN LUTHER KING JR
MF: MILES ALEXANDER
MF: ST THOMAS USVI
RIVIERA BEACH FL 33404

Terms: Cash In Advance
Customer P.O.: MILES ALEXANDER
Job Reference:
F.O.B. Prepd to Port Allow/COLBe
Carrier:
Del:
Inst :

Description	Item Number	Seq #	Scheduled Ship Date	Quantity Ordered	UM	Unit Price	Extended Price
Credit Card Payment		.000-8.000	10/16/2006	1-	EA	2,830.0000	2,830.00-

78584	100.000	CIN HOUSE ACCOUNT				Subtotal	2,830.00-
						Tax	
						U.S. Dollar Total	2,830.00-

Order changes after the manufacturing process has begun may result in additional cost and/or delay. Shipping terms are F.O.B OUR DOCK OR SHIPPING POINT. Material becomes your property when it leaves the shipping point and you are responsible for filing freight claims due to damage or shortage. Orders are subject to the latest LSI Lighting and Graphic Solutions Plus Terms & Conditions as stated on [REDACTED] Freight allowed orders under the LSI Lighting Solutions Plus Terms and Conditions will receive the applicable Freight Fuel Surcharge.

***** THIS IS NOT AN INVOICE *****

Transaction Result

Transaction Information

Transaction status: APPROVED
Transaction date and time: 10/13/06 12:23:34 PM
Transaction reference number: 150510
Transaction origin: Mail Order/Telephone Order
Transaction type: Authorize Only
Approval code: 1505100159114299:YYYX:800489588774:

Order Information

Order number: 352824
Purchase Order number: MILESALEXANDER
Subtotal: \$2,830.00
Shipping Amount: \$0.00
Tax: \$0.00
VAT: \$0.00
Total Amount: \$2,830.00

Credit Card Information

Credit card number: (Amex)2008
Expiration date: 02 / 09

Customer Contact Information

Customer name: JEFFREY E EPSTEIN
Billing street address: 457 MADISON AVE
NEW YORK, NY 10022
Country: US

[-- Show Receipt --](#)[-- Next Transaction --](#)

©2005, LinkPoint International. All rights reserved. Privacy Policy

Records Listed For: **EMAD** from 10/13/2006 to 10/13/2006

om	Message	Phone	Done
JEFFREY EPSTEIN 10:21AM	purchase two light poles 2 lights each RE: Did you want me to purchase the tennis court lights? Or should I wait? ... Original Message: Did you want me to purchase the tennis court lights? Or should I wait?		☐

[Mark Checked Messages as Read](#)[Add Message](#)[Edit Messages](#)[List Messages](#)[Edit My Sent](#)[Keyword Search](#)[Search Callers](#)

Copyright (c) 2000-2004, Epstein Interests, Inc. All Rights Reserved



AEROSYSTEM

lsi
Courtsider
Sports Lighting™

THERE'S A NEW STAR ON THE COURT

LSI Courtsider Sports Lighting, the innovator in tennis court lighting, introduces its newest star - the Aerosystem. More than just a light fixture, the Aerosystem has been designed from the ground up to create a new spin in tennis court lighting.

The Aerosystem breaks new ground in aesthetics, construction, and functionality. Departing from the dated "shoebox" look, the

Aerosystem presents a distinctive and progressive, yet low profile appearance. LSI Courtsider has thoroughly simplified the assembly of the lighting structure with the Aerosystem's advanced modular mounting design. The die-cast construction of the Aerosystem fixture provides unparalleled durability, and is available in a selection of appealing finishes to complement the court environment.

In addition to its dazzling appearance, the Aerosystem performs like a star. The Aerosystem provides brilliant, glare-free illumination for players, with precise light control and minimal light spillage outside of the court area. Unlike traditional floodlighting systems, which produce harsh glare, the Aerosystem creates a low impact, environmentally friendly lighting effect. The Aerosystem is the perfect lighting choice for high schools, universities, resorts, country clubs, condominium complexes, and private residences.

Powerful performance and smashing sleek aesthetics make the Aerosystem a sure courtside winner.



THE AEROSYSTEM APPROACH

— ACHIEVE THE HIGHEST LIGHT QUALITY

Pole & Fixture Placement

Installing the Aerosystem courtside removes the light source from the player's normal line of vision. This placement provides excellent illumination on the flight of the tennis ball, and the surface of the court. In general, proper lighting of the ball requires pole placement on the sides of the court which are near, or behind the baseline of the court. (see standard layouts)

Fixture

The Aerosystem's Forward Throw reflector and concealed light source provide a sharp cutoff to prevent disabling glare and unwanted spill light. Its Metal Halide lamp source promotes energy efficiency and longer life. This combination insures economic operation and minimal maintenance costs.

Fixture Mounting Height

At a mounting height of 22 feet, the Aerosystem effectively distributes the proper amount of light on the court and eliminates stray light to surrounding areas. The low fixture mounting height is more visually appealing, and provides easier accessibility

for relamping. Lob shots over 22' are illuminated by the light reflected from the court surface.

Quantity of Light


A rapidly moving tennis ball requires relatively high levels of illumination, and will vary according to the caliber of play at the facility. The standard layouts provided by LSI Courtsider Sports Lighting are designed for specific levels of play. Each system uses the proper number of poles and fixtures to produce the proper amount of light for the level of play.

Uniformity of Light

The tennis ball is easier to follow under uniform lighting conditions. The optical design and pole / fixture placement of the Aerosystem insures an even light distribution over the entire court area.

Customized Foot-candle Chart

A customized foot-candle chart, illustrating the Aerosystem for your project, is available upon request. Contact LSI Courtsider Sports Lighting for more details.




NO PAIN, ALL GAIN

— THE AEROSYSTEM INSTALLATION ADVANTAGE


The Aerosystem's modular assembly process is simple genius. The components of the system have been designed to be simple to

install, easy to handle, and extremely durable. The system consists of: fixture, extension arm, two cast end connectors, pole top hub, and pole.



STANDARD LAYOUTS

LAYOUT 1




Recreational Play
60' x 120'
(6) ARO-A

LAYOUT 3




Club/Tournament
60' x 120'
(8) ARO-A

LAYOUT 5




Narrow Recreational
108' x 120'
(6) ARO-A • (1) ARO-B • (2) ARO-C

LAYOUT 2




Full Size Recreational
120' x 120'
(6) ARO-A • (3) ARO-B

LAYOUT 4



Full Size Club/Tournament
120' x 120'
(8) ARO-A • (4) ARO-B

LAYOUT 6




Narrow Club/Tournament
108' x 120'
(8) ARO-A • (2) ARO-C • (1) ARO-D

CONFIGURATIONS




Single
ARO-A Assembly
(1) 1000 Watt Fixture
(1) Single Bracket
(1) Pole Top Hub
(1) 20' x 4" O.D. Pole



D180
ARO-B Assembly
(2) 1000 Watt Fixtures
(2) Single Brackets
(1) Pole Top Hub
(1) 20' x 4" O.D. Pole




D70
ARO-C Assembly
(2) 1000 Watt Fixtures
(2) Single Brackets
(1) Pole Top Hub
(1) 20' x 4" O.D. Pole



Q90
ARO-D Assembly
(4) 1000 Watt Fixtures
(4) Single Brackets
(1) Pole Top Hub
(1) 20' x 5" O.D. Pole



POLE AND BRACKET SPECIFICATIONS



- Single, D180, and D70 pole shafts are electro welded ASTM-A513 4" O.D. 10 Ga. round steel tubing.
- Quad pole shaft is ASTM-A513 5" O.D. 11 Ga. round steel tubing.
- 4" O.D. steel tubing is approximately 6 lbs. per ft.
- 5" O.D. steel tubing is approximately 7 lbs. per ft.
- Anchor base poles are furnished with anchor bolts and zinc plated double nuts and washers. Galvanized anchor bolts are optional. Anchor bolts conform with ASTM-A36 with a minimum yield strength of 36,000 PSI.
- Base is ASTM-A36 hot-rolled steel plate with a minimum yield strength of 36,000 PSI.
- 3" x 6" reinforced handhole is 12" above base plate, cover is provided.
- Ground lug is standard.
- Weatherproof duplex receptacle is optional.
- Ground fault circuit interrupter is optional.
- Two-piece fabricated aluminum base cover is standard for anchor base poles.
- Pole top hub externally slipfits 4" or 5" O.D. pole. Hardware to level bracket is internally threaded, concealing it from view for a cleaner appearance. A through bolt is not required.
- Extension arm is ASTM-A513 4" O.D. round steel tubing.

EPA's on standard pole configurations are guaranteed up to 80 MPH. Please consult factory for areas with wind ratings higher than 80 MPH. Caution: The LSI Courtsider Sports Lighting guarantee does not apply if the pole/bracket/fixture combination is used to support any other items, such as flags, pennants, or signs, which would add stress to the pole. LSI Courtsider Sports Lighting cannot accept responsibility for harm or damage caused in these situations.

ORDERING CHART

Select appropriate choice from each column.

Assembly Type	Line Voltage	Luminaire Finish	Luminaire Options	Pole Options
ANCHOR BASE ARO-A-4TBC ARO-B-4TBC ARO-C-4TBC ARO-D-5TBC DIRECT BURIAL ARO-A-DB ARO-B-DB ARO-C-DB ARO-D-DB	MT 480V 220/240V 50HZ	BLK - Black GRN - Green BRZ - Bronze PLP - Platinum Plus BUF - Buff WHT - White	RCS - Rear Cutoff Shield LL - Less Lamp NO - No Options	ER2 - Weatherproof Duplex Recpt. GFI - Ground Fault Circuit Interrupt. GA - Galvanized Anchor Bolts NO - No Options

Example of a typical order: ARO-A-4TBC-MT-GRN-NO-GA

Note: Please contact LSI Courtsider for poles of shorter or longer length than the standard, or poles for special wind loading criteria.

FINISHES



Green



Black



Bronze



Platinum
Plus



White



Buff

All Aerosystem components are finished with DuraGrip®, LSI Courtsider Sports Lighting's revolutionary, superior,

baked-on powder finishing process that produces an exceptionally attractive appearance. DuraGrip polyester finish

withstands extreme weather changes without cracking or peeling. Finish is guaranteed for a full five years.



LSI Courtsider Sports Lighting
 10000 Alliance Road
 Cincinnati, Ohio 45242
 (800) 794-3448 Fax (800) 373-9998
 www.courtsider.com
 E-mail: [REDACTED]

©2001 LSI INDUSTRIES INC.
 1786 12/00 SK