

To: Ryan Ebenhack[REDACTED]
Cc: Bob Caffrey[REDACTED]; Ike Groff [REDACTED]
From: [REDACTED]
Sent: Tue 8/28/2012 3:44:44 PM
Subject: Re: Asbestos report

Great. Thank you!

Sent from my iPhone

On Aug 28, 2012, at 11:40 AM, Ryan Ebenhack <[REDACTED]> wrote:

K

Sent from my iPhone

On Aug 28, 2012, at 11:36 AM, [REDACTED] wrote:

Let's do 1pm on Monday Sept 17 Bob will meet you and let you in.

Bob, we will give you the key to the house this Saturday

Sent from my iPhone

On Aug 28, 2012, at 11:02 AM, Ryan Ebenhack <[REDACTED]> wrote:

What works for him? I can do whenever
I only need about 1/2 hour and can do on my own

Let me know

Sent from my iPhone

On Aug 28, 2012, at 10:47 AM, "[REDACTED]" > wrote:

Ryan, Bob can meet you on 17th. What time
is good for you?

Sent from my iPhone

On Aug 28, 2012, at 10:23 AM, Ryan Ebenhack
[REDACTED] wrote:

How about Monday the 17?

Sent from my iPhone

On Aug 28, 2012, at 10:07 AM, [REDACTED] wrote:

True! Yes, will
schedule that too
with you! The
renters are out on
sept 15... May we
schedule you for
the mirror and lead
on sept 16?

Sent from my iPhone

On Aug 28, 2012, at 9:56 AM, Ryan Ebenhack
[REDACTED]
[REDACTED] wrote:

No
proble
m - we
also
will
need
the
lead
testing
too

Sent from my iPhone

On Aug 28, 2012, at 9:54 AM, [REDACTED]
[REDACTED]
[REDACTED] wrote:

Terrific! Thank you for getting this to me! I will be in touch about the mirror and appreciate you not messing it up with the tenants still in house.

:) lesley

Sent from my iPhone

On Aug 27, 2012, at 6:46 PM, Ryan Ebenhack [REDACTED] wrote:

Hello Lesley

Attached is the asbestos report for 159 Oenoke Ridge in New Canaan, CT and state notification form. Please note I had to assume the mirror adhesive in the bathroom off the 1st floor bedroom contained asbestos. The only way to check would be to break the mirror. I can check the mirror when I go back to do the lead testing after tenants move out (let me know so I can schedule).

Good news though is that no other samples came back with great than 1% asbestos. This allows you or Mr. Caffrey to fill out the attached form and send to the CT Department of Health to get on record that this asbestos inspection was done – I believe this is what you and Mr. Caffrey were concerned about getting the 10 day waiting period started ASAP.

Please review and contact me with any questions

Thank you and best of luck

Ryan Ebenhack MS, CIEC
Environmental Scientist
HYGENIX, Inc.
49 Woodside Street
Stamford, CT 06902
Office: (203) 324.2222 ext 11
Fax: (203) 324.9857
[REDACTED]

<CT.notasbestosform.pdf>

<159Oenoke.pdf>